PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2001-302455

(43) Date of publication of application: 31.10.2001

(51)Int.Cl.

A61K 7/02 A61K 7/035 C09C 3/08 C09C 3/10 // C09B 67/08

(21)Application number : 2000-120809

(71)Applicant: DAITO KASEI KOGYO KK

(22)Date of filing:


21.04.2000

(72)Inventor: TANAKA TAKUMI

(54) PIGMENT FOR COSMETIC AND COSMETIC CONTAINING THE PIGMENT (57)Abstract:


PROBLEM TO BE SOLVED: To provide a cosmetic pigment which permits the employment of a generally used oil, a generally used surfactant, and so on, can give n moist touch and has an excellent water-repelling and oil-repelling property, and to provide a cosmetic containing the cosmetic pigment.

SOLUTION: This pigment for cosmetics, characterized by simultaneously treating the surface of a powdery pigment for the cosmetics with a perfluoroalkyl grouphaving phosphate represented by the general formula (1) [Rf is a 3 to 21C perfluoroalkyl or a perfluorooxyalkyl which may be linear or branched and may have a single chain length or plural chain lengths; (n) is an integer of 1 to 12; (y) is the number of 1 to 3; M is H, an alkali metal, an ammonium or a substituted ammonium] and with an ester which is represented by the general formula (2) [(n) is an integer; (a), (b), (c) and (d) are molar ratios, respectively, in the polymer, provided that (a), (b), (c) and (d) are not each zero; (d) is 40 to 60 mol.%] and is



org. (pour, o i distribusir-proposauray, s Tak: 530 (1881, 1874) - Therado (ras.)

MG,-2014PRILE,37 ---- (1)



obtained by esterifying a copolymer with methylpolysiloxane whose methyl groups are partially substituted by hydroxypropyl, wherein the copolymer has a mol.wt. of 30,000 to 300,000 and is obtained by copolymerizing 2-ethylhexyl acrylate, methacrylic acid, methyl methacrylate, and butyl methacrylate.